



SEPA Ozone Climatology 2013-2016

May 1 – June 7

Data for the following results were selected according to
 SELECT (JULIAN >= 121) AND (JULIAN <= 158) AND (DATE2 >= 20130501)



	SEPAO3X
N of Cases	152
Minimum	13.600
Maximum	85.200
Median	49.200
Arithmetic Mean	49.870
Standard Deviation	12.975
Method = CLEVELAND	
5.000%	29.460
25.000%	40.300
50.000%	49.200
75.000%	58.500
95.000%	70.520
99.000%	79.754



June 8 – September 4

Data for the following results were selected according to
 SELECT (JULIAN >= 159) AND (JULIAN <= 247) AND (DATE2 >= 20130501)

SEPAO3X	
N of Cases	356
Minimum	23.400
Maximum	94.900
Median	54.800
Arithmetic Mean	55.325
Standard Deviation	12.474
Method = CLEVELAND	
5.000%	35.800
25.000%	46.850
50.000%	54.800
75.000%	63.900
95.000%	74.600
99.000%	85.022



September 5-30

Data for the following results were selected according to
 SELECT (JULIAN >= 248) AND (JULIAN <= 273) AND (DATE2 >= 20130501)

SEPAO3X	
N of Cases	104
Minimum	22.900
Maximum	85.900
Median	44.100
Arithmetic Mean	45.982
Standard Deviation	13.763
Method = CLEVELAND	
5.000%	26.950
25.000%	36.000
50.000%	44.100
75.000%	53.300
95.000%	73.210
99.000%	84.550

