



## SEPA Ozone Climatology 2013-2017

### May 1 – June 7

Data for the following results were selected according to  
 SELECT ( JULIAN >= 121) AND ( JULIAN <= 158) AND ( DATE2 >= 20130501)



	SEPAO3X
N of Cases	190
Minimum	13.600
Maximum	85.200
Median	48.250
Arithmetic Mean	49.058
Standard Deviation	12.989
Method = CLEVELAND	
5.000%	30.000
25.000%	39.100
50.000%	48.250
75.000%	58.000
95.000%	70.700
99.000%	82.200



## June 8 – September 4

Data for the following results were selected according to  
 SELECT ( JULIAN >= 159) AND ( JULIAN <= 247) AND ( DATE2 >= 20130501)

SEPAO3X	
N of Cases	445
Minimum	16.900
Maximum	94.900
Median	54.500
Arithmetic Mean	54.645
Standard Deviation	12.828
Method = CLEVELAND	
5.000%	34.375
25.000%	45.600
50.000%	54.500
75.000%	63.800
95.000%	75.350
99.000%	83.865



## September 5-30

Data for the following results were selected according to  
 SELECT ( JULIAN >= 248) AND ( JULIAN <= 273) AND ( DATE2 >= 20130501)

SEPAO3X	
N of Cases	130
Minimum	22.900
Maximum	85.900
Median	43.150
Arithmetic Mean	45.335
Standard Deviation	13.723
Method = CLEVELAND	
5.000%	26.600
25.000%	35.000
50.000%	43.150
75.000%	53.100
95.000%	71.500
99.000%	83.900

